

Z-TRS11

This chapter covers the following topics:

- Description
 - Parameters
 - Return Codes
 - Subprograms
-

Description

File a document into a TRS folder and invert the document. You can also move a document from one TRS folder to another TRS folder.

You can only use this subprogram if Con-nect Text Retrieval is installed.

Prior to the first call to Z-TRS11, you must invoke Z-TRSOP to open the TRS buffer. After to the last call to Z-TRS11, you must invoke Z-TRSCL to close the TRS buffer.

If you want to rename the document without filing it into another folder or file, you must specify the previously defined folder and file names in the parameters TRS-folder-name and TRS-file-name, and you must specify the new document name in the parameter New-document-name.

When you file a document which is currently stored in the Inbasket file New, the corresponding address list is updated so that the reception status of the document indicates that it has been read.

The document is inverted online unless it is longer than the length permitted by the administrator. If it is, the document is automatically filed in folder TRS-XXL and inverted when the utility B10000 is run (see *Invert Long Documents* in the *Con-nect Utilities* documentation for further information).

If Con-nect Text Retrieval cannot be invoked (return code 06), the TRS error number is returned in the parameter TRS-return-code.

Parameters

Parameter	Format	In	Out	Remarks
Return-code	N2	O	X	Input -1: no ET.
Cabinet	A8	R		The cabinet in which the document is to be filed.
Password	A8	R		The password of the above cabinet.
Document-name	A32	R*		The name of the document to be filed. Either Document-name or ISN, not both.
ISN	P8	R*		The ISN of the document to be filed. Either ISN or Document-name, not both. You can invoke Z-DIS11 prior to this subprogram to obtain the ISN for the desired document.
TRS-folder-name	A15	R		The name of the TRS folder in which the document is to be stored.
TRS-file-name	A15	O		The name of a file within the above TRS folder in which the document is to be stored.
New-document-name	A32	O		If specified, the document is filed with a new name.
Keywords	A15/1:6	O		Keywords are helpful when you search for an object. You can specify up to 6 keywords. A keyword must not contain an asterisk (*). When you specify at least one new keyword, all previously defined keywords are deleted. Thus, to retain the previously defined keywords you must specify them once more.
TRS-return-code	N4		X	When this subprogram has been terminated successfully, the value 0 is returned. Any other value indicates an internal error.

Return Codes

00	Success
02	Invalid cabinet name
03	Password incorrect
04	ISN was not found
06	TRS could not be invoked
08	Supply either ISN or name, not both
09	ISN does not point to correct object
51	Invalid name
52	Document with specified name already exists
53	Requested object does not exist
54	At least one keyword was invalid
55	Requested folder/file does not exist
66	Requested folder is not a TRS folder
90	Document too long to be inverted online - folder TRS-XXL is missing
91	Document too long to be inverted online - it has been filed in folder TRS-XXL

Subprograms

Z-120
 Z-122
 Z-123
 Z-150
 Z-161
 Z-161A
 Z-161B
 Z-165
 Z-175
 Z-177
 Z-194
 Z-197
 Z-222
 Z-223
 Z-400
 Z-401
 Z-1200&0